

Nutra Spray Zn Plus

Wettable powder foliar nutrition product.

Guaranteed Analysis:

Zinc (Zn)	50%
Calcium (Ca)	7.4%
Sulfur (S)	6%

Benefits:

- *High analysis, pH neutral, wettable powder that provides metered release of nutrients over several days giving a cost effective treatment.*
- *Extremely fine particle size gives thorough coverage, efficient nutrient uptake, and enhanced sprayability.*
- *Offers increased crop safety to even the most sensitive crops. Safe to foliage and young fruit at recommended rates.*
- *Tank-mixable with most commonly used agrichemicals and Leffingwell Sorba-Spray products.*
- *High quality consistent product. Manufactured to ISO 9001 assurance standards.*



**The information provided is accurate to the best of Yara's knowledge and belief. Any recommendations are meant as a guide and must be adapted to suit local conditions. Always read the label before use.*

Product Recommendations

Typical Crop Recommendations*

- **Apricot, Almond, Cherry, Nectarine, Peach, Plum, Prune:** Dormant: Use 6 to 15 lb per acre. May be used with horticultural oil. Delayed Dormant: Use 5 to 10 lb per acre. May be used with horticultural oil. Foliage Spray: Apply at the rate of 2 to 6 lb per acre per application. Repeat as needed. Application of this product as a foliage spray must be made with caution, especially during wet weather or poor drying conditions. Application to fruit within 3 weeks of harvest may leave a visible residue. Post Harvest: 6 to 15 lb per acre.
- **Apple:** Dormant: Use 6 to 15 lb per acre. May be used with horticultural oil. Delayed Dormant: Use 5 to 10 lb per acre. May be used with horticultural oil. Foliage Spray: Apply at the rate of 2 to 6 lb per acre per application. Repeat as needed. Application of this product as a foliage spray must be made with caution, especially during wet weather or poor drying conditions. Application to fruit within 3 weeks of harvest may leave a visible residue. Post Harvest: 6 to 15 lb per acre.
- **Avocado:** 5 to 15 lb per acre per application. Repeat as needed.
- **Bananas:** 2 to 6 lb per acre per application. Repeat as needed.
- **Beans:** 2 to 5 lb. per acre per application. Repeat as needed.
- **Cereals:** 2 to 5 lb. per acre per application. Repeat as needed.
- **Citrus:** 10 to 20 lb. per acre per application for mature trees. In horticultural oil sprays, use 3/4 to 1 lb. per 100 gal. in dilute sprays; 5 to 10 lb. per acre in concentrate sprays.
- **Coconut:** 2 to 6 lb. per acre per application. Repeat as needed.
- **Durian:** 2 to 6 lb. per acre per application. Repeat as needed.
- **Filbert/Kentish Cob Nuts:** Dormant: Use 6 to 15 lb. per acre. May be used with horticultural oil. Delayed Dormant: Use 5 to 10 lb. per acre. May be used with horticultural oil. Foliage Spray: Apply at the rate of 2 to 6 lb. per acre per application. Repeat as needed. Application of this product as a foliage spray must be made with caution, especially during wet weather or poor drying conditions. Application to fruit within 3 weeks of harvest may leave a visible residue. Post Harvest: 6 to 15 lb. per acre.
- **Grapevines:** Apply 2 to 8 lb. per acre applied at 4-6" new shoot growth, not later than buckshot stage. May be used in a dormant spray at the rate of 3/4 lb. per gal. of horticultural oil.
- **Guava:** 2 to 6 lb. per acre per application. Repeat as needed.
- **Lentil:** 2 to 5 lb. per acre per application. Repeat as needed.
- **Longan:** 2 to 6 lb. per acre per application. Repeat as needed.
- **Lychee:** 2 to 6 lb. per acre per application. Repeat as needed.
- **Maize:** 3 to 5 lb. per acre per application. Repeat as needed.
- **Mango:** 2 to 6 lb. per acre per application. Repeat as needed.
- **Mangosteen:** 2 to 6 lb. per acre per application. Repeat as needed.
- **Millet:** 2 to 5 lb. per acre per application. Repeat as needed.
- **Papaya / Paw Paw:** 2 to 6 lb. per acre per application. Repeat as needed.
- **Pears:** Dormant: Use 6 to 15 lb. per acre. May be used with horticultural oil. Delayed Dormant: Use 5 to 10 lb. per acre. May be used with horticultural oil. Foliage Spray: Apply at the rate of 2 to 6 lb. per acre per application. Repeat as needed. Application of this product as a foliage spray must be made with caution, especially during wet weather or poor drying conditions. Application to fruit within 3 weeks of harvest may leave a visible residue. Post Harvest: 6 to 15 lb. per acre. Apply aerial applications in at least 5 gallons/acre and ground applications in at least 10 gallons/acre; however, when total application gallonage is 25 gallons per acre or less, DO NOT mix more than 1 lb. of this product per gallon of water.
- **Peas:** 2 to 5 lb. per acre per application. Repeat as needed.
- **Pecans:** Dormant: Use 6 to 15 lb. per acre. May be used with horticultural oil. Delayed Dormant: Use 5 to 10 lb. per acre. May be used with horticultural oil. Foliage Spray: Apply at the rate of 2 to 6 lb. per acre per application. Repeat as needed. Application of this product as a foliage spray must be made with caution, especially during wet weather or poor drying conditions. Application to fruit within 3 weeks of harvest may leave a visible residue. Post Harvest: 6 to 15 lb. per acre.
- **Pineapple:** 2 to 6 lb. per acre per application. Repeat as needed.
- **Pistachios:** Dormant: Use 6 to 15 lb. per acre. May be used with horticultural oil. Delayed Dormant: Use 5 to 10 lb. per acre. May be used with horticultural oil. Foliage Spray: Apply at the rate of 2 to 6 lb. per acre per application. Repeat as needed. Application of this product as a foliage spray must be made with caution, especially during wet weather or poor drying conditions. Application to fruit within 3 weeks of harvest may leave a visible residue. Post Harvest: 6 to 15 lb. per acre.
- **Potatoes:** 2 to 5 lb. per acre per application.
- **Rambutan:** 2 to 6 lb. per acre per application. Repeat as needed.
- **Rice:** 2 to 5 lb. per acre per application. Repeat as needed.
- **Sorghum:** 2 to 5 lb. per acre per application. Repeat as needed.
- **Star-fruit:** 2 to 6 lb. per acre per application. Repeat as needed.
- **Sugar Apple:** 2 to 6 lb. per acre per application. Repeat as needed.
- **Walnuts:** Dormant: Use 6 to 15 lb. per acre. May be used with horticultural oil. Delayed Dormant: Use 5 to 10 lb. per acre. May be used with horticultural oil. Foliage Spray: Apply at the rate of 2 to 6 lb. per acre per application. Repeat as needed. Application of this product as a foliage spray must be made with caution, especially during wet weather or poor drying conditions. Application to fruit within 3 weeks of harvest may leave a visible residue. Post Harvest: 6 to 15 lb. per acre.

**The information provided is accurate to the best of Yara's knowledge and belief. Any recommendations are meant as a guide and must be adapted to suit local conditions. Always read the label before use.*

Yara North America, Inc.
www.yara.us
Tel: 1 800 234 9376

Leffingwell[®]
COMPREHENSIVE PLANT NUTRITION