



YaraVita[™]

Solatrel™



Solatrel

0 - 29 - 5

NOTICE

Before using this product, read the entire label

A formulated multi-nutrient liquid product for the treatment of deficiencies by foliar application

Guaranteed analysis:

Available Phosphate (P ₂ O ₅)	29%
Soluble Potash (K ₂ O)	5%
Magnesium (Mg)	
2.7% Water Soluble Magnesium (Mg)	
Manganese (Mn)	0.7%
0.7% Water Soluble Manganese (Mn)	
Zinc (Zn)	0.3%
Derived from Phosphoric Acid, Magnesium Phosphate, Manganese Phosphate,	
Calcium Phosphate, Monopotassium Phosphate, Potassium Chloride, Zinc	
Phosphate	

Chlorine (Cl) not more than 3%

Density: 12.37 lbs/gal @ 68° F

F1106

Guaranteed by **Yara North America, Inc.** 100 North Tampa Street, Suite 3800, Tampa, FL 33602 Customer Service: 800-234-9376

Contents made in Great Britain.

Manufactured by **Yara UK Ltd.**, Manor Place, Pocklington, York, YO42 1DN. U.K.

Net Content 250 gallons/ 946 litres
Net weight 3092 lb/ 1402 kg

This product is recommended for use in conjunction with a complete fertilization program based on soil or tissue analysis.



Danger

H290: May be corrosive to metals. H314: Causes severe skin burns and eye damage. H373: May cause damage to organs through prolonged or repeated exposure. P280: Wear protective gloves/clothing and eye/face protection. P260: Do not breathe gas or vapour. P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P303+P361+P353+P314-a: IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water. Get medical attention if you feel unwell. P234: Keep only in original packaging. Emergency Tel: Chemtrec 24-hours Emergency Response: 1-800-424-9300

YaraVita[™] Solatrel[™]

ONLY APPLY TO THE INTENDED APPLICATION SITE. DO NOT APPLY NEAR WATER, STORM DRAINS, OR DRAINAGE DITCHES OR TO ANY IMPERVIOUS SURFACE. DO NOT APPLY IF HEAVY **RAIN IS EXPECTED**

APPLICATION RATES AND TIMINGS

Pepper (field grown): apply 1 qt/acre at the start of flowering. Repeat at 10-14 day intervals as necessary.

Water rate: 10-50 gallons/acre.

Potatoes: For increased tuber set apply 1 qt/acre at tuber initiation. To encourage tuber size, apply 1 qt/acre at early tuber bulking (one inch tubers) and repeat at 10-14 day intervals as necessary.

Water rate: 10-50 gallons/acre.

Tomato (field grown): 1 qt/acre at the 4-6 leaf stage. 1-2 quarts/acre during fruit development, repeat in 10-14 days. Water rate: 10-50 gallons/acre.



Extended recommendations available at www.vara.us/crop-nutrition/fertilizer-products/varavita

DIRECTIONS FOR USE.

ALWAYS FOLLOW THESE LABEL INSTRUCTIONS

Mix the product thoroughly before use. Slowly add the product to the tank, via the induction hopper, whilst agitating. Top up with water and continue to agitate until spraying is completed.

TANK MIXING/CO-APPLICATION

Read ALL labels carefully and adhere strictly to the instructions for use. Co-application is entirely at the risk of the end-user. Before co-application of products you, or your advisor, must visit www.tankmix.com for important

J-user. Before co-u_r, ormation. Alternatively, contact...

RECAUTIONS

nly to be used on protected crops if specifically listed. Avoid onditions, extremely slow drying conditions, frost, rain, or when frost or including this product. Clean all equipment before and after use. Further information, available at www.yara.com

STORAGE

Keep in a cool, dry chemical store, out of reach of children and livestock. Protect from frost and other climatic extremes. (temperatures ≤ 23°F and > 95°F) Dispose of contents and container in accordance with all local, regional, national and international regulations.

TORIONS OF SALE

This in this product is available on the internet at



