Conforms: GHS (rev 7) (2017)

(This Safety Data Sheet conforms to the requirements of the Hazard Communication Standard (HCS) (29 CFR 1910.1200(g)), revised in 2012.) - United States

Date of issue/ Date of revision: 05/06/2024Date of previous issue: 08/26/2021Version: 1.2



SAFETY DATA SHEET

YaraAmplix ACTISIL

Section 1. Identification

GHS product identifier : YaraAmplix ACTISIL

Product type : Liquid Product code : PY09CM

Uses

Area of application : Professional applications

Material uses : Fertilizers.

Supplier

Supplier's details : Yara North America, Inc.

<u>Address</u>

Street: 100 North Tampa Street, Suite 3200

Postal code : 33602 City : TAMPA Country : United States

Telephone number : +1 813 222 5700 Fax no. : +1 813 875 5735 e-mail address of person : yna-hesq@yara.com

e-mail address of person responsible for this SDS

Emergency telephone number: US: Chemtrec 24-hours Emergency Response: 1-800-424-

(with hours of operation) 9300

Canada: 24 Hour Emergency Service, CHEMTREC 1-800-

424-9300

National advisory body/Poison Center

Name : The National Poisons Emergency number

Telephone number : 1 800 222 1222

Section 2. Hazards identification

OSHA/HCS status : This material is considered hazardous by the OSHA Hazard

Communication Standard (29 CFR 1910.1200).

Classification of the : CORROSIVE TO METALS - Category 1

Date of issue : 05/06/2024 Page:1/15

substance or mixture. SKIN CORROSION - Category 1

SERIOUS EYE DAMAGE - Category 1

GHS label elements

Hazard pictograms

EZ

Signal word : Danger

Hazard statements : H290 May be corrosive to metals.

H314 Causes severe skin burns and eye damage.

Precautionary statements

Prevention: P260 Do not breathe gas or vapour.

P280 Wear protective gloves/clothing and

eye/face protection.

Response : P305 IF IN EYES:

P351 Rinse cautiously with water for several

minutes.

P338 Remove contact lenses, if present and easy

to do. Continue rinsing.

P310 Immediately call a POISON CENTER or

doctor/physician.

P303 IF ON SKIN (or hair):

P361 Take off immediately all contaminated

clothing.

P353 Rinse skin with water.

Storage: P234 Keep only in original packaging.

Hazards not otherwise

classified

None known.

Additional information : None.

Section 3. Composition/information on ingredients

Substance/mixture : Mixture

Ingredient name	%	CAS number
Silicic acid	2	10193-36-9

Any concentration shown as a range is to protect confidentiality or is due to batch variation.

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified and hence require reporting in this section. Occupational exposure limits, if available, are listed in Section 8.

Section 4. First aid measures

Date of issue: 05/06/2024 Page: 2/15

Description of necessary first aid measures

Eye contact : Immediately flush eyes with running water for at least 15

minutes, keeping eyelids open. Check for and remove any contact lenses. Get medical attention immediately. Chemical

burns must be treated promptly by a physician.

Inhalation : Avoid inhalation of vapor, spray or mist. If inhaled, remove to

fresh air. Get medical attention immediately. If it is suspected that fumes are still present, the rescuer should wear an appropriate mask or self-contained breathing apparatus.

Skin contact : In case of contact, immediately flush skin with plenty of water

for at least 15 minutes while removing contaminated clothing and shoes. Get medical attention immediately. Chemical burns

must be treated promptly by a physician.

Ingestion : Wash out mouth with water. If material has been swallowed

and the exposed person is conscious, give small quantities of

water to drink.

Most important symptoms/effects, acute and delayed

Potential acute health effects

Eye contact : Causes serious eye damage.

Inhalation : Vapor is strongly irritating to the eyes and respiratory system.

Skin contact : Causes severe burns.

Ingestion : May cause burns to mouth, throat and stomach.

Over-exposure signs/symptoms

Eye contact : Adverse symptoms may include the following: pain, watering,

redness

Inhalation : No specific data.

Skin contact: Adverse symptoms may include the following: pain or irritation,

blistering may occur

Ingestion: May cause burns to mouth, throat and stomach.

Indication of immediate medical attention and special treatment needed, if necessary

Notes to physician : Treat symptomatically. Contact poison treatment specialist

immediately if large quantities have been ingested or inhaled.

Specific treatments : No specific treatment.

Protection of first-aiders : No action shall be taken involving any personal risk or without

suitable training. If it is suspected that fumes are still present, the rescuer should wear an appropriate mask or self-contained breathing apparatus. Wash contaminated clothing thoroughly

with water before removing it, or wear gloves.

See toxicological information (Section 11)

Section 5. Fire-fighting measures

Extinguishing media

Suitable extinguishing media Unsuitable extinguishing

media

: Use an extinguishing agent suitable for the surrounding fire.

None identified.

Specific hazards arising from

the chemical

In a fire or if heated, a pressure increase will occur and the container may burst. Reacts violently with water. Attacks many

Date of issue : 05/06/2024 Page:3/15

Hazardous thermal decomposition products

metals producing extremely flammable hydrogen gas which can form explosive mixtures with air. Acidic. In a fire, decomposition may produce toxic gases/fumes.

Decomposition products may include the following materials: halogenated compounds, metal oxide/oxides, Avoid breathing dusts, vapors or fumes from burning materials., In case of inhalation of decomposition products in a fire, symptoms may be delayed.

Special protective actions for fire-fighters

: Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.

Special protective equipment for fire-fighters

: Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

Remark : Non-flammable. Remark : Non-explosive.

Section 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Do not breathe vapor or mist. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment (see Section 8).

For emergency responders

: If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".

Environmental precautions

Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).

Methods and materials for containment and cleaning up

Small spill

Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Absorb spillage to prevent material damage. Dispose of via a licensed waste disposal contractor.

Large spill

: Stop leak if without risk. Move containers from spill area. Absorb spillage to prevent material damage. Approach release from upwind. Prevent entry into sewers, water courses, basements or confined areas. Wash spillages into an effluent treatment plant or proceed as follows. Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations (see Section 13).

Date of issue : 05/06/2024 Page:4/15

The spilled material may be neutralized with sodium carbonate, sodium bicarbonate or sodium hydroxide. Dispose of via a licensed waste disposal contractor. Contaminated absorbent material may pose the same hazard as the spilled product. Note: see Section 1 for emergency contact information and Section 13 for waste disposal.

Section 7. Handling and storage

Precautions for safe handling

Not for human or animal consumption.

Protective measures

Put on appropriate personal protective equipment (see Section 8). Do not get in eyes or on skin or clothing. Do not breathe vapor or mist. Do not ingest. If during normal use the material presents a respiratory hazard, use only with adequate ventilation or wear appropriate respirator. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Keep away from alkalis. Empty containers retain product residue and can be hazardous. Do not reuse container. Spillages should be cleaned up promptly to avoid damage to surrounding materials.

Advice on general occupational hygiene

: Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.

Conditions for safe storage, including any incompatibilities

Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Store in a corrosion resistant container with a resistant inner liner. Store locked up. Separate from alkalis. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination. Bund storage facilities to prevent soil and water pollution in the event of spillage.

Section 8. Exposure controls/personal protection

Control parameters

Occupational exposure limits

Ingredient name	Exposure limits
Silicic acid	None.

Appropriate engineering controls

If user operations generate dust, fumes, gas, vapor or mist, use process enclosures, local exhaust ventilation or other

Date of issue : 05/06/2024 Page:5/15

Environmental exposure controls

engineering controls to keep worker exposure to airborne contaminants below any recommended or statutory limits.

: Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.

Individual protection measures

Hygiene measures

: A washing facility or water for eye and skin cleaning purposes should be present. Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Wash contaminated clothing before reusing.

Eye/face protection

: Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts.

Recommended: Tightly-fitting goggles, Europe:, CEN: EN166,

Skin protection

Hand protection

: Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary. For general applications, we recommend gloves with a thickness typically greater than 0.35 mm. It should be emphasized that glove thickness is not necessarily a good predictor of glove resistance to a specific chemical, as the permeation efficiency of the glove will be dependent on the exact composition of the glove material.

Body protection

> 8 hours (breakthrough time): butyl rubber, Teflon
Personal protective equipment for the body should be selected based on the task being performed and the risks involved.

Other skin protection

: Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.

Respiratory protection

In case of inadequate ventilation wear respiratory protection.

Recommended full-face mask acid gas filter (Type E)

Personal protective equipment

(Pictograms)







Section 9. Physical and chemical properties and safety characteristics

The conditions of measurement of all properties are at standard temperature and pressure unless otherwise indicated.

Appearance

Date of issue : 05/06/2024 Page:6/15

Physical state : Liquid

Color : Light, Yellow., Transparent,

Odor : Slight Solvent.

pH : 0.2

Melting point/freezing point : $<-80 \, ^{\circ}\text{C} \, (<-112 \, ^{\circ}\text{F})$ Boiling point, initial boiling : $>100 \, ^{\circ}\text{C} \, (>212 \, ^{\circ}\text{F})$

point, and boiling range

Flash point : Not applicable.
Flammability : Non-flammable.

Lower and upper explosion : Lower: Not applicable. Upper: Not applicable.

Vapor pressure : < 23 hPa Relative vapor density : < 1 [Air = 1]

Density : 1.118 g/cm3 @ 25 °C (77 °F)

Solubility(ies) : This product is totally miscible in water.

Not applicable.

Partition coefficient: n-

octanol/water

Auto-ignition temperature : Not determined.

Decomposition temperature : Not applicable.

Viscosity : Kinematic: Not applicable.

Explosive properties : Non-explosive.

Oxidizing properties : None No oxidizing ingredients present.

Particle characteristics

Median particle size : Not applicable.

Section 10. Stability and reactivity

Reactivity : May be corrosive to metals. Expert judgment

Chemical stability : The product is stable.

Possibility of hazardous

reactions

: Under normal conditions of storage and use, hazardous

reactions will not occur.

Conditions to avoid : Avoid contamination by any source including metals, dust and

organic materials.

Incompatible materials : Attacks many metals producing extremely flammable

hydrogen gas which can form explosive mixtures with air., Reactive or incompatible with the following materials:, alkalis,

metals

Date of issue : 05/06/2024 Page:7/15

Hazardous decomposition products

: Under normal conditions of storage and use, hazardous decomposition products should not be produced.

Section 11. Toxicological information

Information on toxicological effects

Acute toxicity

Product/ingredient	Method	Species	Result	Exposure
name				
YaraAmplix ACTISIL				
·	OECD 401	Rat	5,592 mg/kg	Not applicable.
	LD50 Oral			

Conclusion/Summary: No known significant effects or critical hazards.

Irritation/Corrosion

Conclusion/Summary

Skin : Corrosive to the skin.

Eyes : Causes serious eye damage.

Respiratory: May give off gas, vapor or dust that is very irritating or

corrosive to the respiratory system.

Sensitization

Conclusion/Summary

Skin : No data available for this end-point, hence this classification is

not considered to be applicable.

Respiratory : No data available for this end-point, hence this classification is

not considered to be applicable.

Mutagenicity

Conclusion/Summary: No known significant effects or critical hazards.

Carcinogenicity

Conclusion/Summary: No known significant effects or critical hazards.

Reproductive toxicity

Conclusion/Summary: No known significant effects or critical hazards.

Specific target organ toxicity (single exposure)

No known significant effects or critical hazards.

Specific target organ toxicity (repeated exposure)

No known significant effects or critical hazards.

Date of issue : 05/06/2024 Page:8/15

Aspiration hazard

No known significant effects or critical hazards.

Information on the likely

routes of exposure

Not available.

Potential acute health effects

Eye contact : Causes serious eye damage.

Inhalation : Vapor is strongly irritating to the eyes and respiratory system.

Skin contact : Causes severe burns.

Ingestion : May cause burns to mouth, throat and stomach.

Symptoms related to the physical, chemical and toxicological characteristics

Eye contact : Adverse symptoms may include the following: pain, watering,

redness

Inhalation : No specific data.

Skin contact: Adverse symptoms may include the following: pain or irritation,

blistering may occur

Ingestion : May cause burns to mouth, throat and stomach.

Delayed and immediate effects and also chronic effects from short and long term exposure

Short term exposure

Potential immediate effects : Not available.
Potential delayed effects : Not available.

Long term exposure

Potential immediate effects : Not available.
Potential delayed effects : Not available.

Potential chronic health effects

Carcinogenicity : No known significant effects or critical hazards.

Mutagenicity: No known significant effects or critical hazards.

Reproductive toxicity: No known significant effects or critical hazards.

Effects on or via lactation : No known significant effects or critical hazards.

Other effects : No known significant effects or critical hazards.

Over-exposure signs/symptoms

Eye contact : Adverse symptoms may include the following: pain, watering,

redness

Inhalation : No specific data.

Skin contact : Adverse symptoms may include the following: pain or irritation,

blistering may occur

Ingestion : May cause burns to mouth, throat and stomach.

Numerical measures of toxicity

Acute toxicity estimates

N/A

Section 12. Ecological information

Date of issue : 05/06/2024 Page:9/15

Toxicity

Product/ingredien	Method	Species	Result	Exposure
t name				
Silicic acid				
	OECD 202	Daphnia	> 146 mg/l	48 h
	Acute EC50			
	Fresh water			
YaraAmplix ACTISIL				
	OECD 202	Daphnia	> 100 mg/l	48 h
	Acute EC50			
	Fresh water			
	OECD 201	Algae	> 100 mg/l	72 h
	Acute EC50			
	Fresh water			

Conclusion/Summary: No known significant effects or critical hazards.

Persistence and degradability

Conclusion/Summary: No known significant effects or critical hazards.

Bioaccumulative potential

Conclusion/Summary: No known significant effects or critical hazards.

Mobility in soil

Soil/water partition coefficient (KOC)

Mobility

Other adverse effects

Not available.

Not available.

se effects : No known significant effects or critical hazards.

Section 13. Disposal considerations

Product

Methods of disposal

The generation of waste should be avoided or minimized wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. This material and its container must be disposed of in a safe way. Care should be taken when handling emptied containers that have not been cleaned or rinsed out. Empty containers or liners may retain some product residues. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

Date of issue : 05/06/2024 Page:10/15

Section 14. Transport information

	TDG Classification	DOT Classification	IMDG	IATA
UN number	3264	UN3264	3264	3264
UN proper shipping name	CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (Hydrochloric acid %)	Corrosive liquid, acidic, inorganic, n.o.s. (Hydrochloric acid %)	CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (Hydrochloric acid %)	CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (Hydrochloric acid %)
Transport hazard class(es)	8	8 CORROSIVE 8	8	8
Packing group	II	II	II	II
Environmental hazards	No.	No.	No.	No.

Additional information

TDG Classification : Product classified as per the following sections of the

Transportation of Dangerous Goods Regulations: 2.40-2.42 (Class

8)

IMDG : IMDG Code Segregation group SG1

Emergency schedules (EmS) F-A, S-B

14.6 Special precautions for

<u>user</u>

: Transport within user's premises: Ensure that persons transporting the product know what to do in the event of

an accident or spillage.

Transport in bulk according to

IMO instruments

Proper shipping

name Remarks : Choline chloride solutions

Liquid bulk cargoes

Ship type: 3

Pollution category: Z

Section 15. Regulatory information

United States

U.S. Federal regulations : TSCA 8(a) CDR Exempt/Partial exemption: Not

determined

United States - EPA Clean water act (CWA) section 311 - Hazardous substances: Hydrochloric acid; United States - EPA Clean air act (CAA) section 112 -

Date of issue : 05/06/2024 Page:11/15

Accidental release prevention - Flammable

substances: Hydrochloric acid;

United States - EPA Clean air act (CAA) section 112 - Accidental release prevention - Toxic substances:

Hydrochloric acid;

Clean Air Act Section 112(b)

Hazardous Air Pollutants

(HAPs)

Clean Air Act Section 602

Class I Substances

Clean Air Act Section 602

Class II Substances

DEA List I Chemicals

(Precursor Chemicals)

DEA List II Chemicals (Essential Chemicals)

Listed

Not listed

: Not listed

Not listed

Not listed

SARA 302/304

Composition/information on ingredients

Name	%	EHS	SARA 302/304
Hydrochloric acid	2	Yes.	SARA 302 TPQ: 500 lb(s)
			SARA 304 RQ: 5000 lb(s)

SARA 304 RQ

SARA 311/312

Classification : CORROSIVE TO METALS - Category 1

SKIN CORROSION - Category 1 SERIOUS EYE DAMAGE - Category 1

Composition/information on ingredients

Name	%	Classification
Silicic acid	2	SKIN CORROSION - Category 1
		SERIOUS EYE DAMAGE - Category 1

SARA 313

Form R - Reporting requirements

Product name	CAS number	%
Hydrochloric acid	7647-01-0	>= 2 - < 2.5

Supplier notification

Product name	CAS number	%
Hydrochloric acid	7647-01-0	>= 2 - < 2.5

SARA 313 notifications must not be detached from the SDS and any copying and redistribution of the SDS shall include copying and redistribution of the notice attached to copies of the SDS subsequently redistributed.

Date of issue : 05/06/2024 Page:12/15

State regulations

Massachusetts: The following components are listed:

Hydrochloric acid

New York : None of the components are listed.
New Jersey : The following components are listed:

Hydrochloric acid

Pennsylvania : The following components are listed:

Hydrochloric acid

California Prop. 65

★ WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov.

Inventory list

Philippines inventory (PICCS): All components are listed or exempted.

New Zealand Inventory of Chemicals (NZIoC): All components are listed or exempted.

Korea inventory: All components are listed or exempted.

Japan inventory (CSCL): All components are listed or exempted. China inventory (IECSC): All components are listed or exempted. Australia inventory (AllC): All components are listed or exempted.

Taiwan Chemical Substances Inventory (TCSI): All components are listed or exempted.

United States inventory (TSCA 8b): All components are active or exempted. **EC INVENTORY (EINECS/ELINCS):** All components are listed or exempted.

Canada: All components are listed or exempted. **Viet Nam:** All components are listed or exempted.

Section 16. Other information

Hazardous Material Information System (U.S.A.)

Health	/	
Flammability		
Physical hazards		


Caution: HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. Although HMIS® ratings and the associated label are not required on MSDSs or products leaving a facility under 29 CFR 1910.1200, the preparer may choose to provide them. HMIS® ratings are to be used with a fully implemented HMIS® program. HMIS® is a registered trademark and service mark of the American Coatings Association, Inc.

The customer is responsible for determining the PPE code for this material. For more information on HMIS® Personal Protective Equipment (PPE) codes, consult the HMIS® Implementation Manual.

Chronic toxicity:

- -: No data available.
- *: Carcinogen, Target organs, Reproductive effects, Sensitizer to lungs

Date of issue : 05/06/2024 Page:13/15



Procedure used to derive the classification

Classification	Justification
CORROSIVE TO METALS - Category 1	Expert judgment
SKIN CORROSION - Category 1	On basis of test data
SERIOUS EYE DAMAGE - Category 1	On basis of test data

History

Date of printing: 05/30/2025Date of issue/Date of revision: 05/06/2024Date of previous issue: 08/26/2021

Revision comments : Section 3. Composition/information on ingredients

Section 11. Toxicological information

Version : 1.2

Prepared by : Product Stewardship and Compliance (PSC).

Key to abbreviations : ATE = Acute Toxicity Estimate

BCF = Bioconcentration Factor

GHS = Globally Harmonized System of Classification and

Labelling of Chemicals

IATA = International Air Transport Association

IBC = Intermediate Bulk Container

IMDG = International Maritime Dangerous Goods

LogPow = logarithm of the octanol/water partition coefficient MARPOL = International Convention for the Prevention of Pollution From Ships, 1973 as modified by the Protocol of

1978. ("Marpol" = marine pollution)

N/A = Not available

SGG = Segregation Group

UN = United Nations

Key data sources : EU REACH ECHA/IUCLID5 CSR.

National Institute for Occupational Safety and Health, U.S. Dept. of Health, Education, and Welfare, Reports and Memoranda Registry of Toxic Effects of Chemical

Substances.

Sphera Solutions Inc., 4777 Levy Street, St Laurent, Quebec

HAR 2P9, Canada.

Indicates information that has changed from previously issued version.

Notice to reader

To the best of our knowledge, the information contained herein is accurate. However, neither the above-named supplier, nor any of its subsidiaries, assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of

Date of issue : 05/06/2024 Page:14/15

Υ	'ara/	4mp	lix .	ACI	'ISI
•					

suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.

Date of issue : 05/06/2024 Page:15/15